

09015

900*900*2150mm



Cautions in Installation and Using





Thanks for selecting our shower room series. To guarantee safe and normal operation as well as prolong service lifetime. Pls read Instruction carefully before installation.

Note: We aer dedicated to improving products quality, find something new in what is old, we would if there is difference in the Instruction until further notice. Any discomfort, we ask your pardon.


Directory

1.Tool contents	-----	2
2.Accessory list	-----	3-4
3.Pipe and drain installation drawing	-----	5
4.Installation Procedure	-----	6-16

1.self-provide tool


Name	Tool
Track level bar	
Tape measure	
Ajustable spanner	
Rubber hammer	
Phillips srewdriver	
Scissors	
Glass cement	
electric drill	
3mm aiguille	
6mm aiguille	
tap drill	

2. Partial accessory list

Item	Name	Accessory	Quantity
1	(1.1)Tub		1
	(1.2)Middle Backboard		1
	(1.3)Roof		1
2	(2.1)Backboard glass		1
	(2.2)Backboard glass		1
	(2.3)Arch fixed door glass		2
	(2.4)Arch flexible door glass		2
3	(3.1)Side upright column		2
	(3.2)Upper rail		1
	(3.3)Bottom rail		1
4	(4)Knob		2
5			1
6	(6)eccentric wheel		8

(3)

4, Installation Procedure




(16)

4,Installation Procedure



8 :) Fit the soap container,handle shower,and glass holder.



2.Partial accessory list

Item	Name	Accessory	Quantity
7	(7.1)Lifting rod		1
	(7.2)hand shower		1
	(7.3)hand shower tube		1
8	(8)Top shower		1
9	(9)Cold and hot water hose		2
10	(10.1)Glass positioning fixture		8
	(10.2) Glass Platen		4
11	(11.1)Magnetic strip		2
	(11.2) Waterproof belt		2
	(11.3) U style thong		2
12	(12.1) St 4*16mm screw		32
	(12.2) St 4*10mm screw		12


3. Pipe and drain installation drawing

C=Cold water inlet
H=Hot water inlet
D=Drain




(5)

4, Installation Procedure



12.) Fix top cover with glass room by (15.1)ST4*16 screws. Connect all of pipes and wires as picture.




(14)

4,Installation Procedure




11 :) Put the back board and glass room on the tub, connect them and fix them by screw (15.1)




(13)

4,Installation Procedure



1.) Put track level bar on the tub, and adjust foot's screw by adjustable spanner, and keep it to the leveling




(6)

4,Installation Procedure



2:) Build up the frame. Make sure the rails and upright aluminums are suitable. And find the difference between up rail and down rail.




(7)

4,Installation Procedure




9:) Connect back board and glass room by screw (15.1), fit the pipes.




(12)

4,Installation Procedure




7:) Connect back board and glass room by screw (15.1), fit the pipes.




(11)

4,Installation Procedure




3:) Fit the fixed glass into the frame, after fitting the rubber seal into glass one side, and then knock the glass carefully by hammer.




(8)

4,Installation Procedure




5:) Put the roller into glass door holes, and adjust the roller screw, then hang the door into up rails. Then fix all of roller, to make sure the door move smoothly.




(9)

4,Installation Procedure



6:) Fit the handle into flexible door, fix rubber position (13) by screws (15.2) Fit the magnetic seal and waterproof belt.



(10)